	Application No.	Applicant(s)
Notice of Allowability	10/749,574	AYAI, NAOKI
	Examiner	Art Unit
	Colleen P. Cooke	1754
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>papers filed 4/24/06</u> .		
2. The allowed claim(s) is/are <u>1,4-11,18,21,24,27-29 and 31-34</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No. <u>09/938,829</u> .		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 🗀 Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 08), 7. ⊠ Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
· - · · · · · · · · · · · · · · · · ·	9. Other	

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ted Rittmaster on 7/26/06.

The application has been amended as follows:

In claim 1, line 8, please replace "of" with --on-- in each of the two instances in which it appears in that line.

In claim 4, line 10, please replace "of" with --on-- in each of the two instances in which it appears in that line.

In claim 28, line 3 after "rods" insert --adjacent to each other-- and delete "with"; in line 4 delete the phrase "the ceramic coated rods in a spaced relationship with respect to each other and"; in line 5 replace "spaced" with --adjacent--.

In claim 29, line 3 after "rods" insert --adjacent to each other-- and delete "with"; in line 4 delete the phrase "the ceramic coated rods in a spaced relationship with respect to each other and"; in line 5 replace "spaced" with --adjacent--.

In claim 31, line 11, please replace "of" with --on-- in each of the two instances in which it appears in that line.

Please cancel claim 30.

Allowable Subject Matter

Claims 1, 4-11, 18, 21, 24, 27-29, and 31-34 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art of record does not teach or suggest an oxide superconducting wire, or the method of making the oxide superconducting wire, which has the structure as claimed and in particular a multifilament wire which has multiple precursor superconducting rods coated with a ceramic layer where the ceramic coating of one rod is in contact with the ceramic coating of at least one other rod. The prior art as cited and applied teaches similar structures but that the ceramic layer of one rod is not in direct contact with any other ceramic layer because of the use of additional metals layers/sheaths.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Colleen P. Cooke whose telephone number is 571-272-1170. She can normally be reached Mon.-Fri. 9:00 am - 6:30 pm.

Application/Control Number: 10/749,574 Page 4

Art Unit: 1754

If attempts to reach the examiner by telephone are unsuccessful, her supervisor, Stan Silverman can be reached at 571-272-1358. The official fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Colleen P Cooke Primary Examiner Art Unit 1754

den d. Collin